# **Specification of Thermoelectric Module**

## TES1-00730

### Description

The 7 couples,8mm  $\times$  8mm size module is a single stage module which is made of our high performance ingot to achieve superior cooling performance and 70 °C or larger delta Tmax, is designed for superior cooling and heating applications. Beyond the standard below, we can design and manufacture the custom made module according to your special requirements.

#### Features

- No moving parts, no noise, and solid-state
- Compact structure, small in size, light in weight
- Environmental friendly
- RoHS compliant
- Precise temperature control
- Exceptionally reliable in quality, high performance


#### **Performance Specification Sheet**

### Application

- Food and beverage service refrigerator
- Portable cooler box for cars
- Liquid cooling
- Temperature stabilizer
- CPU cooler and scientific instrument
- Photonic and medical systems

Th (°C)	27	50	Hot side temperature at environment: dry air, N <sub>2</sub>
DT <sub>max</sub> (°C)	70	79	Temperature Difference between cold and hot side of the module when cooling capacity is zero at cold side
U <sub>max</sub> (Voltage)	0.87	0.94	Voltage applied to the module at DT <sub>max</sub>
I <sub>max</sub> (Amps)	3.6	3.6	DC current through the modules at $DT_{max}$
Q <sub>Cmax</sub> (Watts)	2.01	2.16	Cooling capacity at cold side of the module under DT=0 °C
AC resistance (Ohms)	0.18	0.19	The module resistance is tested under AC
Tolerance (%)	± 10		For thermal and electricity parameters

#### Geometric Characteristics Dimensions in millimeters



## **Manufacturing Options**

A. Solder:	B. Sealant:		
1. T100: BiSn (Tmelt=138°C)	1. NS: No sealing (Standard)		
2. T200: CuAgSn (Tmelt = 217°C)	2. SS: Silicone sealant		
3. T240: SbSn (Tmelt = 240°C)	3. EPS: Epoxy sealant		
C. Ceramics:	D. Ceramics Surface Options:		
1. Alumina (Al <sub>2</sub> O <sub>3</sub> , white 96%)	1. Blank ceramics (not metalized)		
2. Aluminum Nitride (AlN)	2. Metalized		


# **Ordering Option**


Suffix	Thickness H (mm)	Flatness/ Parallelism (mm)Parallelism (mm)	Lead wire length(mm)Standard/ Optional length	
TF	$0: 3.6 \pm 0.05$	0: 0.02/0.03	120±3/Specify	

Creative technology with fine manufacturing processes provides you the reliable and quality products Tel: +86-791-88198288 Fax: +86-791-88198308 Email: <u>sales@thermonamic.com.cn</u> Web Site: www.thermonamic.com.cn

# **Specification of Thermoelectric Module**

### **TES1-00730**





≥1.2

00.9

0.6

0.3

DT=60°C



DT=60°C

DT=70°C

0.2

0.3

0.4

0.5

Voltage / V

0.1

0.7


0.8

0.6

0.9

# **Specification of Thermoelectric Module**

### **TES1-00730**



Standard Performance Graph COP = f(V) of DT ranged from 40 to 60/70 °C

**Remark:** The coefficient of performance (COP) is the cooling power Qc/Input power ( $V \times I$ ).

## **Operation Caution**

- Attach the cold side of module to the object to be cooled
- Attach the hot side of module to a heat radiator for heat dissipating
- Operation below I<sub>max</sub> or V<sub>max</sub>
- Work under DC

Note: All specifications subject to change without notice.