# **Specification of Thermoelectric Module**

**TEHC1-19912** 

#### **Description**

The 199 couples, 40 mm  $\times$  40 mm size single module which is made of our high performance ingot to achieve superior cooling performance and 74  $^{\circ}$ C or larger delta Tmax, is designed for superior cooling and heating applications. Beyond the standard below, we can design and manufacture the custom made module according to your special requirements.

#### **Features**

- No moving parts, no noise, and solid-state
- Compact structure, small in size, light in weight
- Environmental friendly
- RoHS compliant
- Precise temperature control
- Exceptionally reliable in quality, high performance

## **Application**

- Food and beverage service refrigerator
- Portable cooler box for cars
- Liquid cooling
- Temperature stabilizer
- CPU cooler and scientific instrument
- Photonic and medical systems

## **Performance Specification Sheet**

-			
Th(°C)	27	50	Hot side temperature at environment: dry air, N <sub>2</sub>
DT <sub>max</sub> (°C)	74	83	Temperature Difference between cold and hot side of the module when cooling capacity is zero at cold side
U <sub>max</sub> (Voltage)	26.3	28.3	Voltage applied to the module at DT <sub>max</sub>
I <sub>max(</sub> amps)	11.6	11.6	DC current through the modules at DT <sub>max</sub>
Q <sub>Cmax</sub> (Watts)	194.8	211.9	Cooling capacity at cold side of the module under DT=0 °C
AC resistance(ohms)	1.6~1.8	1.77~1.99	The module resistance is tested under AC

#### Geometric Characteristics Dimensions in millimeters

# Positive lead wire (Red) 18AWG leads, PVC insulated Negative lead wire (Black) 150±3 Cold side:Tc See ordering option See ordering option See ordering option

# Flatness/ Parallelism Option

# Manufacturing Options

A. Solder: B. Sealant:

1. T100: BiSn (Tmelt=138°C) 1. NS: No sealing (Standard)

2. T200: CuAgSn (Tmelt =  $217^{\circ}$ C) 2. SS: Silicone sealant


3. T240: SbSn (Tmelt =  $240^{\circ}$ C) 3. EPS: Epoxy sealant


C. Ceramics: D. Ceramics Surface Options:

1. Alumina (Al<sub>2</sub>O<sub>3</sub>, white 96%) 1. Blank ceramics (not metalized)

2. Aluminum Nitride (AlN) 2. Metalized


# Naming for the Module





# **Specification of Thermoelectric Module**

# **TEHC1-19912**




# **Specification of Thermoelectric Module**

#### **TEHC1-19912**


#### Performance Curves at Th=27 °C


# 5 4 DT=30 °C DT=20 °C DT=10 °C DT=0 °C Voltage / V

# Performance Curves at Th=50 °C



Standard Performance Graph COP = f(V) of  $\Delta T$  ranged from 0 to 30 °C





Standard Performance Graph COP = f(V) of  $\Delta T$  ranged from 40 to 60/70 °C

Remark: The coefficient of performance (COP) is the cooling power Qc/Input power (V × I).

# **Operation Cautions**

- Attach the cold side of module to the object to be cooled
- Attach the hot side of module to a heat radiator for heat dissipating
- •Sorage module below 100 °C
- Operation below I<sub>max</sub> or V<sub>max</sub>
- Work under DC